Deep Learning Lecture 1: Introduction

Chris G. Willcocks Durham University

Lecture Overview



Introduction

- definitions
- examples

2 Learning in Nature

- what is learning?
- how does the brain work?
- synaptic plasticity
- Hebbian theory
- A Brief History
- 4 Key Concepts
- recap *T*,*P* and *E*
- how DL differs to ML



The aims of the course are:

- 1. To be able to solve complex ill-defined problems that require deep layers of learning
- 2. To understand learning in nature, and the relevant theory in statistics and geometry
- 3. To ask the right scientific questions given a new task, and use modern deep learning libraries to effectively design, train & test





Definition: Deep Learning

"Deep learning allows computational models that are composed of multiple processing layers to learn representations of data with multiple levels of abstraction. These methods have dramatically improved the state-of-the-art in speech recognition, visual object recognition, object detection and many other domains such as drug discovery and genomics. Deep learning discovers intricate structure in large data sets by using the backpropagation algorithm."

> Yann LeCun, Yoshua Bengio & Geoffrey Hinton Deep Learning, 2015, Nature - Read Online

Examples: Images and Vision

Non-photorealistic interpolation:

- Photos <u>video</u>
- Paintings video
- DeepFakes video

End-to-end self-driving:

• Wayve - <u>video</u>

Examples: Text and Audio

Examples from text:

- GPT-3 <u>video</u>
- Input: The internet
- **Output:** Any language task

Examples with audio:

- OpenAl Jukebox <u>video</u>
- Input: Artist, Genre, Lyrics
- Output: New music

Learning in Nature what is learning?





Definition: Learning

"We define learning as the transformative process of taking in information that—when internalized and mixed with what we have experienced—changes what we know and builds on what we do. It's based on input, process, and reflection. It is what changes us."

Tony Bingham and Marcia Conner







Learning in Nature how does the brain work?



Architecture of the brain

Right side/left side (hemispheres)

- Frontal lobe
 - executive functions, memory and planning
- Parietal lobe
 - sensation and spatial awareness
- Temporal lobe (banana shape)
 - hearing and language
- Occipital lobe at back
 - Vision from front along optic nerves



Learning in Nature how does the brain work?



1,000's of inputs (other neurons, sensory neurons e.g. taste buds from a salt or sugar molecule...)



Figure by wetcake (left) and Andrej Kral (right)

Presynaptic neuron



- What's <u>very cool</u> is that with frequent repeated stimulation, the same level of presynaptic stimulation converts into **greater** postsynaptic potential
 - In other words, as a neuron gets a lot of practice sending signals to a specific target neuron, it gets better at sending those signals (the synapse strength increases)
 - Increased strength that lasts for a long time (from minutes to many months) is called Long Term
 Potentiation (weakening is Long Term Depression)
 - As synapses are strengthened and retain strength, we're able to more easily recall previous experiences

Figure from: "Synaptic Plasticity: A molecular mechanism for metaplasticity", Journal of Current Biology.

0

Learning in Nature Hebbian theory





- Hebbian theory
 - If two neurons fire at the same time, the connections between them are strengthened, and thus are more likely to fire again together in the future
 - If two neurons fire in an uncoordinated manner, their connections are weakened and their more likely to act independently in the future
- Updated hebbian hypothesis based on recent findings
 - If the presynaptic neuron fires within a window of 20ms before the postsynaptic neuron, the synapse will be strengthened
 - However if within a window of 20ms after, the synapse will be weakened

A Brief History artificial neurons



Pitts and McCulloch, 1943

The Artificial Neuron



Synaptic weights Activation function Input • o_i Output 7 signals **Summation** . 6 Wn X_{n} Threshold Sigmoid Leaky ReLU $\max(0.1x, x)$ $\sigma(x) = \frac{1}{1 + e^{-x}}$ tanh Maxout tanh(x) $\max(w_1^T x + b_1, w_2^T x + b_2)$ ELU ReLU $\int x$ $x \ge 0$ $\max(0, x)$

Backpropagation, 1970

The backpropagation algorithm (also called the reverse mode of automatic differentiation) was independently discovered by different researchers

Seppo Linnainmaa, 1970 Werbos, 1974 (with neural networks)

Reverse-mode differentiation





Rumelhart and Hinton, 1986

Learning representations by back-propagating errors

Nature, 1986. David E. Rumelhart, Geoffrey E. Hinton & Ronald J. Williams

- Backpropagation
- Multiple hidden layers
- Recurrent networks

The second AI winter 1987–1993



History of CNNs

Convolutional neural networks were first introduced by Kunihiko Fukushima in 1980

- **1989** Yann Lecun et al., trained a CNN with "Backpropagation Applied to Handwritten Zip Code Recognition"
- **1998** Yann Lecun et al., released LeNet5 "Gradient-based learning applied to document recognition"

Example: LeNet5

```
class LeNet(nn.Module):
def __init__(self):
    super(LeNet, self).__init__()
    self.conv1 = nn.Conv2d(1, 6, 5, padding=2)
    self.conv2 = nn.Conv2d(6, 16, 5)
    self.fc1 = nn.Linear(16*5*5, 120)
    self.fc2 = nn.Linear(120, 84)
    self.fc3 = nn.Linear(84, 10)
```

```
def forward(self, x):
x = F.max_pool2d(F.relu(self.conv1(x)), (2, 2))
x = F.max_pool2d(F.relu(self.conv2(x)), (2, 2))
x = flatten(x)
x = F.relu(self.fc1(x))
x = F.relu(self.fc2(x))
x = self.fc3(x)
return x
```



The current AI spring



History of NNs on GPUs

- **2004** first GPU implementation of a neural network
- **2006** first GPU implementation of a CNN (just 4 times faster)
- **2012** AlexNet won state-of-the-art by significant margin with 60 million parameters
- **2015** ImageNet state-of-the-art by a residual network with over 100 layers

Cloud Computing - GANs & GPT-3

Fake faces generated by StyleGAN2



Unsupervised Generative Models

Progressively larger models are being trained on GPU cloud services

- **2014** Ian Goodfellow releases "Generative Adversarial Nets"
- **2017** GoogleBrain releases "Attention is all you need"
- **2019** OpenAl GPT-2 "Language Models are Unsupervised Multitask Learners"
- 2020 OpenAl GPT-3 "Language Models are Few-Shot Learners"

Key Concepts overlap with other areas of machine learning

Machine Learning

Shallow Learning often hand-engineered

Reinforcement Learning

bad gradients dynamic not IID optimising future reward

Deep Learning

multiple layers gradients mostly IID

Supervised Learning learning one task

Unsupervised Learning

Generative Models learning the data distribution

Discriminative Models

classifying data regression

Meta Learning

learning the task distribution

Shared components with ML

Deep learning shares the main components in machine learning

- experiencing **E** the data distribution *p*_{data}
- specifying the task **T**
- optimising a specified performance measure *P*

NEW priority

Deep learning puts additional emphasis on the following

- tensors and backpropagation
- modeling joint distributions
- statistical manifolds
- designing architectures
- regularising high-capacity networks
- GPU computing
- learning a distribution of tasks
- a deeper theory of generalisation

Summary

Im summary, deep learning:

- has overlap with many areas of AI
- achieves state-of-the-art in many ill-defined tasks
 - high-dimensional datasets
 - huge datasets (the internet)
 - very parallelizable
- has a lot to do with statistics
- has a bit to do with geometry
- is rapidly growing and evolving